



Dear Sirs,

We are pleased to present enclosed our latest catalogue about our fitting and fastening assessories.

If you are interested in any of these, please do not hesitate to contact us. We will then send you a detailed offer including prices, delivery dates, terms of payment, etc.

We would appreciate your inquiries and promise you prompt service at all times.

Sincerely yours,

Coupling nut

round, steel galvanized



description	thread	length	article no.:	outside diameter	packing unit
DM 4 - 20	M 4	20	300420	8	100
DM 5 - 25	M 5	25	300525	8	100
DM 6 - 20	M 6	20	300620	10	100
DM 6 - 25	M 6	25	300625	10	100
DM 6 - 30	M 6	30	300630	10	100
DM 6 - 40	M 6	40	300640	10	100
DM 6 - 50	M 6	50	300650	10	100
DM 8 - 20	M 8	20	300820	11	100
DM 8 - 25	M 8	25	300825	11	100
DM 8 - 30	M 8	30	300830	11	100
DM 8 - 40	M 8	40	300840	11	100
DM 10 - 25	M 10	25	301025	13	100
DM 10 - 30	M 10	30	301030	13	100
DM 10 - 40	M 10	40	301040	13	100
DM 12 - 25	M 12	25	301225	15	100
DM 12 - 30	M 12	30	301230	15	100
DM 12 - 40	M 12	40	301240	15	100
DM 16 - 40	M 16	40	301640	22	50
DM 16 - 50	M 16	50	301650	22	25

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany

Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

Coupling nut

hexagonal, steel galvanized



description	thread	length	article no.:	width across flat	packing unit
DM 6 - 20	M 6	20	360620	10	100
DM 6 - 25	M 6	25	360625	10	100
DM 6 - 30	M 6	30	360630	10	100
DM 6 - 50	M 6	50	360650	10	100
DM 8 - 25	M 8	25	360825	11	100
DM 8 - 30	M 8	30	360830	11	100
DM 8 - 30	M 8	30	36083013	13	100
DM 8 - 40	M 8	40	360840	11	100
DM 8 - 50	M 8	50	360850	11	100
DM 10 - 25	M 10	25	361025	13	100
DM 10 - 30	M 10	30	361030	13	100
DM 10 - 40	M 10	40	361040	13	50
DM 12 - 30	M 12	30	361230	17	50
DM 12 - 40	M 12	40	361240	17	50
DM 12 - 50	M 12	50	361250	17	50
DM 16 - 40	M 16	40	361640	24	25
DM 16 - 50	M 16	50	361650	24	25
DM 20 - 50	M 20	50	36205030	30	25

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany

Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

Coupling nut

round, stainless steel, V 2 A



description	thread	length	article no.:	outside diameter	packing unit
DM 6 - 30	M 6	30	300630A2	10	100
DM 8 - 30	M 8	30	300830A2	11	100
DM 10 - 30	M 10	30	301030A2	13	100

Coupling nut

hexagonal, stainless steel, V 2 A



description	thread	length	article no.:	width across flat	packing unit
DM 8 - 30	M 8	30	360830A2	11	100
DM 10 - 30	M 10	30	361030A2	13	100
DM 12 - 40	M 12	40	361240A2	17	50

Reducing nut

steel galvanized



description	inside thread	total length	article no.:	outside diameter	packing unit
RDM 8 - 6	M 8 / M 6	40	320806	13	100
RDM 10 - 8	M 10 / M 8	40	321008	16	100
RDM 12 - 10	M 12 / M 10	40	321210	16	100
RDM 16 - 12	M 16 / M 12	40	321612	22	50

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany


Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

Reducing fitting

steel galvanized



description	inside thread	outside thread	article no.:	width across flat	packing unit
RS 6 - 8	M 6	M 8	310608	13	100
RS 6 - 10	M 6	M 10	310610	13	100
RS 8 - 6	M 8	M 6	310806	13	100
RS 8 - 10	M 8	M 10	310810	13	100
RS 8 - 12	M 8	M 12	310812	13	100
RS 10 - 8	M 10	M 8	311008	13	100
RS 10 - 12	M 10	M 12	311012	13	100
RS 10 - 16	M 10	M 16	311016	19	50
RS 12 - 8	M 12	M 8	311208	17	100
RS 12 - 10	M 12	M 10	311210	17	100
RS 12 - 16	M 12	M 16	311216	19	50
RS 16 - 10	M 16	M 10	311610	24	50
RS 16 - 12	M 16	M 12	311612	24	50
RS 7 - 8	M 7 x 1,5	M 8	310708	13	100
RS 8 - 7	M 8	M 7 x 1,5	310807	13	100
RS 1/2" - 10	G 1/2"	M 10	31121024	24	50
RS 1/2" - 12	G 1/2"	M 12	31121224	24	50
RS 1/2" - 16	G 1/2"	M 16	31121630	30	25
RS 3/4" - 16	G 3/4"	M 16	31341630	30	25

stainless steel

RS 8 - 10	M 8	M 10	310810VA	13	100
RS 10 - 8	M 10	M 8	311008VA	13	100

Thread plates

steel galvanized



description	thread	sizes	article no.:	slot width in profile	packing unit
GP 6 - 22	M 6	22 x 13 x 4	330622	12 - 13	100
GP 8 - 22	M 8	22 x 13 x 4	330822	12 - 13	100
GP 10 - 22	M 10	22 x 13 x 4	331022	12 - 13	100
GP 6 - 30	M 6	30 x 18 x 4	3306304	18 - 19	100
GP 8 - 30	M 8	30 x 18 x 6	330830	18 - 19	100
GP 10 - 30	M 10	30 x 18 x 6	331030	18 - 19	100
GP 12 - 30	M 12	30 x 18 x 6	331230	18 - 19	100
GP 8 - 38	M 8	38 x 19 x 8	330838	19 - 21	50
GP 10 - 38	M 10	38 x 19 x 8	331038	19 - 21	50
GP 12 - 38	M 12	38 x 19 x 8	331238	19 - 21	50

with gear tooth forming:

GP 8 - 35	M 8	35 x 20 x 6	330835	20 - 22	50
GP 10 - 35	M 10	35 x 20 x 6	331035	20 - 22	50
GP 12 - 35	M 12	35 x 20 x 6	331235	20 - 22	50

stainless steel

GP 8 - 22	M 8	22 x 13 x 4	330822A2	12 - 13	100
GP 8 - 30	M 8	30 x 18 x 6	330830A2	18 - 19	100
GP 10 - 30	M 10	30 x 18 x 6	331030A2	18 - 19	100

with gear tooth forming:

GP 8 - 35	M 8	35 x 20 x 6	330835A2	20 - 22	50
GP 10 - 35	M 10	35 x 20 x 6	331035A2	20 - 22	50

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany

Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

T-headed screw, complete

with thread plate, threaded rod, flat washer, nut

steel galvanized



description	thread plate	threaded rod length	flat washer	article no.:	packing unit
HKS 8-22-25	22 x 13 M 8	25	25 x 8,4 x 1,5	47082225	100
HKS 8-22-30	22 x 13 M 8	30	25 x 8,4 x 1,5	47082230	100
HKS 8-22-40	22 x 13 M 8	40	25 x 8,4 x 1,5	47082240	100
HKS 8-22-60	22 x 13 M 8	60	25 x 8,4 x 1,5	47082260	100
HKS 8-30-30	30 x 18 M 8	30	30 x 8,4 x 1,5	47083030	50
HKS 8-30-40	30 x 18 M 8	40	30 x 8,4 x 1,5	47083040	50
HKS 8-30-60	30 x 18 M 8	60	30 x 8,4 x 1,5	47083060	50
HKS 10-30-30	30 x 18 M 10	30	34 x 11 x 3	47103030	50
HKS 10-30-40	30 x 18 M 10	40	34 x 11 x 3	47103040	50
HKS 10-30-60	30 x 18 M 10	60	34 x 11 x 3	47103060	50
HKS 8-35-40	35 x 20 M 8	40	40 x 9 x 3	47083540	25
HKS 8-35-60	35 x 20 M 8	60	40 x 9 x 3	47083560	25
HKS 10-35-40	35 x 20 M 10	40	40 x 11 x 3	47103540	25
HKS 10-35-60	35 x 20 M 10	60	40 x 11 x 3	47103560	25
HKS 12-35-40	35 x 20 M 12	40	44 x 13,5 x 3	47123540	25
HKS 12-35-60	35 x 20 M 12	60	44 x 13,5 x 3	47123560	25

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany

Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

Brass anchor



description	thread	length	article no.:	packing unit
MD 4	M 4	16	103004	100
MD 5	M 5	20,5	103005	100
MD 6	M 6	16	10300616	200
MD 6	M 6	22	103006	100
MD 8	M 8	18	10300818	200
MD 8	M 8	27,5	103008	100
MD 10	M 10	32	103010	100
MD 12	M 12	38	103012	100
MD 14	M 14	42	103014	50
MD 16	M 16	45	103016	25

SUBEX nail-anchor



zinc diecasting sleeve with a steel nail

description	outside-diameter	length of shaft	article no.:	packing unit
SND 1640	6	40	101640	100
SND 1650	6	50	101650	100
SND 1665	6	65	101665	100

Drop-in-anchor

ETA ¹⁾



description	thread	anchorage depth	article no.: steel galvanized	article no.: V4A	packing unit
SA 6	M 6	25	100006	100160	100
SA 8	M 8	30	100008 ¹⁾	100180	100
SA 8 / 40	M 8	40	140008		100
SA 10	M 10	40	100010 ¹⁾	100101	50
SA 12	M 12	50	100012 ¹⁾	100121	50
SA 16	M 16	65	100016		25
SA 20	M 20	80	100020		25



Setting tool

steel galvanized, hardened

description	for thread	article no.:	packing unit
SW 6	M 6	100206	10
SW 8	M 8	100208	10
SW 8 / 40	M 8 / 40	140208	10
SW 10	M 10	100210	10
SW 12	M 12	100212	10
SW 16	M 16	100216	5
SW 20	M 20	100220	5

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany

Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

Base plate

steel galvanized, with 2 screw bolts



description	distance screw bolts	material thickness	article no.:	length	packing unit
SDS 65 M 8	65	5	380065	85	50
SDS 85 M 8	85	5	380085	105	50
SDS 105 M 8	105	5	380105	125	25

Base plate

steel galvanized, with 2 inside thread



description	hole center distance	material thickness	article no.:	length	packing unit
SDI 40 M 8	40	5	340008	60	50
SDI 55 M 8	55	5	355008	75	50
SDI 65 M 8	65	5	365008	85	50
SDI 85 M 8	85	5	385008	105	50
SDI 105 M 8	105	5	305008	125	50
SDI 160 M 8	160	5	360008	180	25

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany

Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

Screw bolts

steel galvanized



description	thread	total length	article no.:	packing unit
SB 8 x 13	M 8	13	390813	100
SB 8 x 25	M 8	25	390825	100
SB 8 x 35	M 8	35	390835	100
SB 8 x 45	M 8	45	390845	100
SB 8 x 55	M 8	55	390855	100
SB 8 x 65	M 8	65	390865	100

Flat leaf bolt

steel galvanized



description	thread	length of shaft	article no.:	packing unit
BA 6 - 20	M 6	20	310620	50
BA 6 - 40	M 6	40	310640	50
BA 8 - 20	M 8	20	310820	50
BA 8 - 40	M 8	40	310840	50
BA 10 - 20	M 10	20	311020	50
BA 10 - 40	M 10	40	311040	50
BA 12 - 20	M 12	20	311220	50
BA 12 - 40	M 12	40	311240	50

Störring + Brückmann GmbH Ringstraße 20 42553 Velbert Germany

Tel.: ++49-2053-40081

e-mail: info@stoerring-brueckmann.de

www.stoerring-brueckmann.de

Fastening eyelet



description	inside thread	hole diameter	article no.:	total length	packing unit
<u>malleable cast iron, galvanized</u>					
BO 18 - 6	M 6	9	418006	40	100
BO 18 - 8	M 8	9	418008	40	100
<u>zinc diecasting</u>					
BO 18 - 6	M 6	9	518006	38	100
BO 18 - 8	M 8	9	518008	38	100

Fastening eyelet



description	inside thread	hole diameter	article no.:	total length	packing unit
<u>malleable cast iron, galvanized</u>					
BO 25 - 8	M 8	12	425008	44	50
BO 25 - 10	M 10	12	425010	44	50
<u>zinc diecasting</u>					
BO 25 - 8	M 8	12	525008	47	50
BO 25 - 10	M 10	12	525010	47	50

Ring eyelet

malleable cast iron, galvanized



description	inside thread	ring inside diameter	article no.:	total length	packing unit
R 10 - 6	M 6	10	410006	28	100
R 28 - 8	M 8	28	428008	52	50
R 28 - 10	M 10	28	428010	52	50

zinc diecasting

description	inside thread	ring inside diameter	article no.:	total length	packing unit
R 15 - 6	M 6	15	515006	35	100
R 15 - 8	M 8	15	515008	35	100

Pipe hanger

zinc diecasting



description	inside thread	ring inside diameter	article no.:	total length	packing unit
RA 11 - 6	M 6	11	511006	38	100
RA 11 - 8	M 8	11	511008	38	100
RA 11 - 10	M 10	11	511010	38	100

Suspension hook



malleable cast iron, galvanized

description	inside thread	hook inside diameter	article no.:	total length	packing unit
AH 10 - 6	M 6	10	410600	28	100
AH 13 - 6	M 6	13	413600	33	100
AH 28 - 6	M 6	28	428600	54	50
AH 28 - 8	M 8	28	428800	54	50
AH 28 - 10	M 10	28	428100	54	50

Perforated ribbon

sendzimir galvanized



description	breadth mm	length of roll	article no.:	packing
LBP 1210	12	10	390121	plastic unroll cassette
LBP 1710	17	10	390171	
LBP 2510	25	10	390251	

with additional border perforation

LBP 1725	17	25	3901725	unroll carton
LBP 2525	25	25	3902525	unroll carton

Perforated ribbon

plastic coated



description	breadth mm	length of roll	article no.:	packing
LK 14	14	10	392014	unroll carton
LK 19	19	10	392019	unroll carton
LK 27	27	10	392027	unroll carton